

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown Atty Docket: ASA-009

1/16




FIG.1

PLANAR ANTENNA FITTED WITH A REFLECTOR
MIKAMI, et al.
Appl. No.: Unknown *Atty Docket: ASA-009*

2/16




FIG.2




FIG.3

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown

Atty Docket: ASA-009

3/16




FIG.4




FIG.5

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown Atty Docket: ASA-009

4/16




FIG.6

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown Atty Docket: ASA-009

5/16




FIG.7

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR
MIKAMI, et al.
Appl No.: Unknown Atty Docket: ASA-009

6/16




FIG.8




FIG.9

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown

Atty Docket: ASA-009

7/16




FIG.10




FIG.11

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown Atty Docket: ASA-009

8/16




FIG.12




FIG.13

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown

Atty Docket: ASA-009

9/16




FIG.14




FIG.15

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown

Atty Docket: ASA-009

10/16




FIG.16




FIG.17

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR
 MIKAMI, et al.
 Appl. No.: Unknown Atty Docket: ASA-009

11/16






FIG.18

D2	L13	α 2	DEGREE OF IMPROVEMENT (GRAPH READOUT VALUE OF VSWR)		REMARKS
			FREQUENCY OF IMPROVEMENT [MHz]	MAXIMUM IMPROVEMENT VALUE	
30	30	10	470~620	1.8(470MHz)	
		30	470~620	1.0(470MHz)	
	30	10	470~590	1.9(470MHz)	FIG.12
		30	470~590	0.9(470MHz)	FIG.16
40	40	10	470~560	2.6(470MHz)	FIG.10
		30	470~590	1.2(470MHz)	FIG.14
	70	10	470~560	2.7(470MHz)	
		30	470~590	1.7(470MHz)	
70	70	10	470	0.5(470MHz)	
		30	470	0.5(470MHz)	

FIG.19

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR
MIKAMI, et al.
Appl. No.: Unknown Atty Docket: ASA-009



10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR

MIKAMI, et al.

Appl. No.: Unknown Atty Docket: ASA-009

13/16




FIG.22




FIG.23

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR
MIKAMI, et al.
Appl. No.: Unknown Atty Docket: ASA-009

14/16




FIG.24




FIG.25

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR
MIKAMI, et al.
Appl No.: Unknown Atty Docket: ASA-009

15/16




FIG.26




FIG.27

10/530135

PLANAR ANTENNA FITTED WITH A REFLECTOR
MIKAMI, et al.
Appl. No.: Unknown Atty. Docket: ASA-009

16/16




FIG.28




FIG.29